

3. A 55 years old farmer presented in eye out patient with a pinkish mass encroaching on black of his eyes for last few months. His distant vision is normal and he uses glasses for reading and there is no H/O trauma:

a) What is most probable diagnosis?

1

b) How will differentiate it from other similar lesions? 1

c) What are treatment options for this patient? 2

d) What are indications for surgery in this condit

11:55 am ✓✓

1. A patient had undergone phacoemulsification surgery 3 days back, presented with severe pain and decreased vision in that eye, he. On examination anterior chamber has flare and grade 4 cells and hypopyon and there is no fundus view:

a) What could be the most probable diagnosis?

1

b) Name commonest pathogen involved in this condition. 1

c) What treatments options do we have for this patient?

11:52 am ✓✓

10. A child aged 4 years was brought to general physician by the parents complaining of squinted eyes. The child was referred to ophthalmology clinic.

a. What ocular examination should be carried out in the clinic? 2

b. What should be the line of treatment in this case?

11:50 am ✓✓

10 (A) OCULAR EXAMINATION

5. An eight years old boy is brought to the physician 3 days back after sustaining a small laceration of the left eyebrow. His temperature is 102.6F. Examination shows erythema and edema of the left eyelid and periorbital region with moderate proptosis and decreased ocular movement. Eye movements are painful.

a) What is your diagnosis?

1

b) What is pathogenesis of this condition?

2

c) How will you manage this case?

2

11:47 am ✓✓

9. A twenty year old boy presents with history of night blindness since early childhood. One of his elder brother is having same problem

a) What is probable diagnosis?

1

b) What clinical findings do you expect on dilated fundus

examination of this patient?

3

c) How will you do genetic counselling of the parents

11:41 am ✓✓

7. An 11 years old child presents in the eye outpatient with redness, chemosis and mucopurulent discharge from left eye followed by right after 2 days. His sister had similar symptoms a week ago. His tarsal conjunctiva shows severe follicular reaction:

a) What is most likely diagnosis?

1

b) How will you manage this case?

2

c) Write down preventive measures to avoid spread of the disease? 2

11:37 am ✓✓

6. A patient presented with sudden unilateral loss of vision, pain and defective colour vision of his left eye. On examination visual acuity 6/6 in right & 6/60 in left eye with positive RAPD, Fundus is normal and extra ocular movements are painful, there is enlargement of blind spot on V/F examination.

a) What is your diagnosis?

1

b) Write down the differential diagnosis?

2

c) What is the best possible treatment?

11:15 am ✓✓

A 60 year old women presents in the eye out patient with gradual painless loss of vision of her left eye for last 6 months. She noticed that her problem gets aggravated in bright sunshine. There was no redness in her eye.

a) What is most likely diagnosis?
1

b) How will you confirm the diagnosis? 2

c) How will you manage this case?

10:16 am ✓✓